

EmberGlo®

Complete Food Equipment Line



EmberGlo®

Open Hearth Radiant Heat

Gas Char-Broilers with FLARETROL®



Gas Char Broilers

"EmberGlo's Fire Breathing Legend"

EmberGlo's eye-catching glowing hearth will reach a temperature of 1600° searing your meats yet preserving their natural flavor. Only EmberGlo® Gas Char Broilers feature the special in shot gas burners that supply broiling heat to a durable, completely ceramic hearth. The Barbriq (ceramic bricks) transmit searing radiant heat to the meat utilizing its natural juices and creating more natural fuel. Burner jets are located along the sides, in the recessed hearth, instead of below it. This design prevents the jets from becoming clogged with dripping grease or food particles, cleaning the burner unit with exceptional temperature control. Open Hearth Gas Char Broilers feature EmberGlo's exclusive Flare-trol® system—the most effective means of flame control for open hearth broiling. When grease starts to flare up, simply flip the Flare-trol® switch and a steady stream of air brings the flames under control. EmberGlo's Open Hearth Char Broilers give that great outdoor flavor with indoor convenience!

Open Hearth
Closed Front - Floor
Model 41F




Open Hearth
Open Front - Counter
Model 25C



Specialized Features

- All Ceramic Broiling Hearth
- Flame control with our unique Patented FLARE-TROL® System
- NO MESSY GREASE trays
- Reaches temperature of 1600°
- Zero recovery time
- Self cleaning hearth
- 'Outdoor Flavor' - indoors
- Natural or Propane Gas
- Open, mid or closed front
- Clog Free, Side Mounted, Inshot 'Cobra' Gas Burner Heads

Flame controlling
Flare-trol® System



FLARE-TROL® is the most effective
means of flame control for
open hearth broiling.

Specifications - All Gas Broilers

Model Number	Cabinet Size	Grill Sq. In	Grill Size	Max Btu/Hr Input	Flare-trol Amperage	Number of Burners / Btu for Each Burner	Shipping Weight
25C	26"W X 18 1/4"D X 17 9/16"H	334	21 3/8"W X 15 5/8"D	120V, 60Hz, 1.5 amp	6,600 Btu/burner	6	190 lbs
25C Kabob *							250 lbs
25F	26"W X 18 1/4"D X 37 to 39"H	480	30 3/4"W X 15 5/8"D	120V, 60Hz, 1.5 amp	2 @ 6,600 4 @ 8,500 Btu/burner	47,200	240 lbs
25F Kabob *							305 lbs
25WC Kabob *	35 7/8"W X 18 1/4"D X 19 1/2"H	658	30 3/4"W X 21 3/8"D	120V, 60Hz, 1.5 amp	8,500 Btu/burner	68,000	310 lbs
25WF Kabob *	35 7/8"W X 18 1/4"D X 40"H						400 lbs
31C	35 7/8"W X 22 5/8"D X 19 9/16"H	458	21 3/8"W X 21 3/8"D	120V, 60Hz, 1.5 amp	7,550 Btu/burner	60,400	248 lbs
31C Kabob *							315 lbs
31F	35 7/8"W X 22 5/8"D X 41"H	904	30 3/4"W X 29 3/8"D	120V, 60Hz, 1.5 amp	8,500 Btu/burner	85,000	415 lbs
31F Kabob							490 lbs
31NC	26"W X 22 5/8"D X 19 9/16"H	458	21 3/8"W X 21 3/8"D	120V, 60Hz, 1.5 amp	7,550 Btu/burner	60,400	248 lbs
31NF	26"W X 22 5/8"D X 40"H						315 lbs
41C	35 7/8"W X 31 1/8"D X 19 9/16"H	904	30 3/4"W X 29 3/8"D	120V, 60Hz, 1.5 amp	8,500 Btu/burner	85,000	415 lbs
41F	35 7/8"W X 31 1/8"D X 41"H						490 lbs

- All floor and counter models are identical except for the addition of a floor stand on "F" models

- When ordering - Specify Open, Mid or Closed Front / Natural or Propane
- * Kabob broilers come with a set of skewers, the grill grate is optional



Open Hearth Kabob Broilers

Gas Char-Broilers with FLARETROL®

Shish Kabobs are 'IN'

Kabob Gas Char Broilers

"EmberGlo's Fire Breathing Legend" - Kabob Style

The EmberGlo Kabob Gas Char-Broiler is incredibly versatile in cooking almost anything that can be placed on a skewer. In a short period of time, a large variety of foods can be broiled effortlessly with that distinctive 'Outdoor Taste' !!

The grill top on this commercial grade Broiler is designed especially for broiling Shish Kabobs. The quality stainless steel skewers, included with the broiler, can accommodate large pieces of meat such as beef, chicken, lamb, pork, seafood or veggies. The EmberGlo Kabob Gas Char-Broilers have all the great benefits and features of the regular EmberGlo Gas Broilers, like the time and money saving feature of NO MESSY GREASE TRAYS to clean!



*Kabob Broiler!
Open Hearth
Open Front - Counter
Model 25WC Kabob*

*Kabob Broiler!
Open Hearth
Mid Closed Front - Floor
Model 31F Kabob*

Specialized Kabob Features


Kabob broilers all have the same great features of a regular EmberGlo broiler plus...

- Kabob Broilers Include
10 Stainless Steel Skewers
- All Stainless Steel Construction

Optional for Kabob Broilers:
Stainless Steel Cooking
Grill Grates



*Kabob Broiler!
Open Hearth
Open Front - Floor
Model 25F Kabob*



*All Broiler Top
Measurements
Models 25, 25W,
31, 31N & 41*

E24 Series Electric

Electric Char-Broilers




Electric Char Broilers

Electric Char Broilers feature raised cast iron ribs with recessed heating elements to evenly “char-brand” the meat’s surface with flame-free safety. EmberGlo has designed the grill to give you more useful square inches and broiling space than any other comparably sized electric broiler. Each 12” grate module has separate infinite temperature controls for maximum efficiency. Easy clean, stainless steel cabinets.

Char-Broiling the Electric way



*Electric Char Broiler
Counter
Model E2436*



Specialized Features

More useful broiling area than the competition

- Infinitely adjustable temperature zoned cooking
- Char broiling without burning
- Minimum heat radiation for kitchen climate comfort
- Recessed heating elements for flame free broiling
- Removable grease tray and splatter guards for easy dishwasher safe cleaning
- Stainless steel floor stand available (for E2436 only)
- 208V, 240V, 440V and 480V - Single and three phase
- Optional 10” Splatter Guard Kit for back and sides.

Specifications

Model # Number	Capacity	Outside Dimensions	Total KW Loading	Nominal Amperes Per Line *								Shipping Weight
				3 Phase* 240V			3 Phase* 208V			1 Phase 240V	1 Phase 208V	
				L1	L2	L3	L1	L2	L3			
E2412	Grill size 11½" x 19" (218" sq. in.), broils five 8 oz. strips or ten 4 oz. burgers per load	12"W x 24"D x 18½"H (max.)	3							12.5	14.5	97 lbs.
E2424	Grill size 23" x 19" (437"sq. in.), broils ten 8 oz. strips or twenty 4 oz. burgers per load; 2 controls	24"W x 24"D x 18½"H (max.)	6	12.5	21.7	12.5	14.5	25.0	14.5	25.0	28.8	150 lbs.
E2436	Grill size 34" x 19" (655"sq. in.), broils fifteen 8 oz. strips or thirty 4 oz. burgers per load; 3 controls	36"W x 24"D x 18½"H (max.)	9	21.7	21.7	21.7	25.0	25.0	25.0	37.5	43.2	235 lbs.

All units are shipped wired for single phase or 3-phase. Stainless top, front and sides are standard. To specify or order, indicate model number and voltage.

Optional extras: A 10" high Splash Guard is available for all models. See price sheet or accessory page for details.

* For voltage applications other than above call the factory.

‡ Cord and plug receptacle not included with electric broilers.



ES5 Series

Tap Water Steamers - Half Size Pan

Steamer - Standard Half Size Pan

Now you can have all the fresh, flavorful advantages of food steaming, plus the proven dependability and efficiency of EmberGlo engineering, without the restriction of supplying distilled or demineralized water.



Specialized Features

- Tap water Self contained removable water pan or direct water hookup
- Adjustable hinged top opening
- 4" deep, half size food pan
- No hood system needed

Engineered to handle a demanding workload with ease.

- **ES5 Series** - Electrical 120V, 1500 watts, 12.5 amps
 - ES5PBS** - Manual push button - self contained water supply
 - ES5M** - Manual pump - self contained water supply
 - Tortilla Models - includes a Tortilla steaming rack and fully perforated food pan*
 - ES5MT** - Manual pump - self contained water supply
 - ES5PBT** - Manual push button - direct water hook-up
 - ES5PBST** - Manual push button - self contained water supply
- **ES5CTS** - 30 Minute Automatic timer - self contained water
- **ES5PB** - Manual push button - direct water hook-up
- **ES5CT** - 30 Minute Automatic timer - direct water hook-up
- **ES5 1800 Series** - Electrical 120V, 1800 watts, 15 amps
 - Temperature recovery time decreased by 20%
 - ES5M18** - Manual pump - self contained water supply
 - ES5CTS18** - 30 Minute Automatic timer - self contained water
 - ES5PB18** - Manual push button - direct water hook-up
 - ES5PBS18** - Push Button - self contained water supply
 - ES5CT18** - 30 Minute Automatic timer - direct water hook-up

ES5 Series - Self-Contained Tap Water Supply Model ES5CTS



ES5 Series - Direct Water Hook-up Tap Water Supply Model ES5PB



Specifications

Model Number	Type	Dimensions	Electrical	Electrical Connection	Shipping Weight
ES5PBS	Food steamer/cooker with self-contained water supply removable water drawer and push button operation * Special tortilla steaming rack for ES5PBST	14" Width 18 ¾" Depth 12 ⅜"H(closed) 25 ⅜"H(open)	120V-60Hz, 1500 watts, 12.5 amps	3 wire cord	48 lbs.
ES5PBST*			120V-60Hz, 1800 watts, 15 amps		
ES5PBS18			120V-60Hz, 1500 watts, 12.5 amps		
ES5M	Food steamer/cooker with self-contained water supply removable water drawer and manual pump operation. * Special tortilla steaming rack for ES5MT		120V-60Hz, 1500 watts, 12.5 amps		41 lbs.
ES5MT *			120V-60Hz, 1800 watts, 15 amps		
ES5M18			120V-60Hz, 1500 watts, 12.5 amps		
ES5CTS	Food steamer/cooker with self-contained water supply, removable water drawer, 30 minute timer, single shot	120V-60Hz, 1500 watts, 12.5 amps	48 lbs.		
ES5CTS18		120V-60Hz, 1800 watts, 15 amps			
ES5PB		120V-60Hz, 1500 watts, 12.5 amps			
ES5PBT *	Food steamer/cooker with direct water hook-up, 6' hose with quick connect fittings and push button operation * Special tortilla steaming rack for ES5PBT	120V-60Hz, 1800 watts, 15 amps		41 lbs.	
ES5PB18		120V-60Hz, 1500 watts, 12.5 amps			
ES5CT		120V-60Hz, 1800 watts, 15 amps			
ES5CT18	Food steamer/cooker with direct water hook-up, 6' hose with quick connect fittings, 30 minute timer, single shot push button, ready light and buzzer	120V-60Hz, 1500 watts, 12.5 amps			
		22 ⅞"H(open)	120V-60Hz, 1800 watts, 15 amps		

- All models contain 4" deep, half size food pan
- For Export Only: All Models are available for export with 220V-50Hz., 1500 watts, 6.8 amps

- Export models shipped with cord less plug and U.S. agency approvals
- Fixed timed cooking cycle available, call factory for further information

AR Series

Front Opening Steamers - 1/2 Size Pan and 2/3 Size Pan



Steamer - Front Open



This model offers a front drawer opening and self contained water supply, making it completely portable while allowing it to fit under most counter or shelves and increasing the work space. The closed generator is designed to increase productivity by cutting down cooking time.



*AR Series - Demineralized
or distilled water supply
Model AR60*

Specialized Features

- Type: Front drawer opening / Stackable
- Distilled or Demineralized water operation
- Self contained removable water pan
- No hood system needed
- **AR Series** - 4" deep food pan
 - AR30** - **Manual pump** - 4" deep half size food pan
Electrical 120V-60Hz, 1500 watts, 12.5 amps or 240V-50Hz, 1500 watts, 6.3 amps, (Export)
 - AR60** - **Manual pump** - 4" deep 2/3 size food pan
Electrical 120V-60Hz, 1500 watts, 12.5 amps, single phase or 240V-50Hz, 1500 watts, 6.3amps, (Export)



*Depend on an EmberGlo
for quality design and
proven performance*

Specifications

Model Number	Type	Dimensions	Electrical	Electrical Connection	Food Pan Depth	Shipping Weight
AR30	Front opening, 1/2 size pan, with self-contained water supply	12" Width 15 1/2" Depth 11 1/2" Height	120V-60Hz, 1500 watts, 12.5 amps 240V-50Hz, 1500 watts, 6.3 amps (Export only - no cord provided)	6', 3 wire cord no cord provided	4" deep, half size	48 lbs.
AR60	Front opening, 2/3 size pan, with self-contained water supply	15" Width 15 1/2" Depth 11 1/2" Height	120V-60Hz, 1500 watts, 12.5 amps 240V-50Hz, 1500 watts, 6.3 amps (Export only - no cord provided)	6', 3 wire cord no cord provided	4" deep, 2/3 size 2" deep optional	50 lbs.

SPECIAL NOTE: AR series steamers require the use of distilled or demineralized water.

Clogged or limed generators caused by use of non-treated water will not be covered under the terms of the warranty.

For Export Only: All models available 240V, 50Hz - shipped with cord less plug and U.S. agency approvals.



Accessories


for EmberGlo Broilers & Steamers

Accessories Steamers


Increase your efficiency with accessories made just for your broilers and steamers. Steam cut veggies, tacos or pita bread with our easy to use Steaming Baskets. Make steamer cleanup fast with a stainless steel brush.




*Quarter Pan Size Basket
(2 pack Set)
5608-73*



*Half Pan Size Basket
(1 pack)
5608-72*



*3 in One Basket Set
(1 Half and 2 Quarters)
Basket Sets come with a Handle
5608-70*



*Tortilla Rack
(Pita Rack)
5682-60*



*Egg Poacher
4 Cup
2070610*



*Egg Poacher
6 Cup
2070615*



*Steamer Cleaning Brush
8450-62*



Accessories Broilers


Make your work easier with accessories made just for your broilers. Our Seafood Veggie Grate is great for broiling fish but it is also handy for broiling smaller cuts of meats and veggies. Cleaning the cooking grill grate is fast with the sturdy steel brush specially designed for the shape of the grates.




*Seafood Veggie Grate
FG1 - Model 25
FG2 - Model 31
FG3 - Model 41*



*Kabob Skewers
Set of 10 (Stainless Steel)
20½" - 4508-68 (for 25 Series)
24" - 4508-69 (for 31 Series)*




*Splash Guards Stainless Steel
Dishwasher Safe
Models 25W only
Set of 2 Sides & 1 Back
2060130*



*Kabob Conversion Kit
for Gas Broilers
4508-51 (25 Series and 31N)
4508-52 (31 & 41 Series and 25W)*



*Cooking Grill Grate Brush
Gas Broiler
1420-39*



Stainless Steel Cooking Grill Grates

Model	Item #	Model	Item #
25 Series	4638-05	31 Series	4724-05
25W	4638-30	31N	4724-15
25 (Half)	4638-31	31 (Half)	4724-21



*10" Splatter Guard
for Electric Broiler
2070300 (E2412)
2070400 (E2424)
2070500 (E2436)*



*Cooking Grill Grate Brush
Electric Broiler
1420-36*



*Set of Caster
for Floor Model Broilers
2070100R*



*Manufacturer of Broilers
and Steamers for over 60 Years.*

*Our Gas Char Broilers are all-
ceramic, open-hearth, charcoal-free and
include the exclusive patented Flare-trol®
system to control flame flare ups and has the
added benefit of No Messy Grease pans. Our
Electric Char Broilers offer the most useful
cooking surface than any of our competition.
Our counter top Food Steamers can be direct
water hook up or self contained. Front
open models can fit under the counter.
When you choose an EmberGlo
you will choose the
very best.*



Conforms to NSF 4 Intertek

Quality Designed for Proven Performance

As an ISO 9001 certified company, we proudly design, manufacture and assemble our products in Chicago, Illinois, USA.

EmberGlo - A Division of Midco International - 4140 West Victoria Street - Chicago, Illinois 60646

toll free: 866 705 0515 - tel: 773.604.8700 - fax: 866.580.8700 - web: www.emberglo.com - e-mail: sales@emberglo.com



420
8474 54
Printed in USA