

EmberGlo®

Complete Food Equipment Line



EmberGlo®

Open Hearth Radiant Heat

Gas Char-Broilers with FLARETROL®



Gas Char Broilers


"EmberGlo's Fire Breathing Legend"

EmberGlo's iconic glowing hearth—the Original Steakhouse Broiler—delivers authentic outdoor grilling flavor with the ease of indoor operation. Its exclusive in-shot gas burner jets produce intense, roaring heat across a durable ceramic hearth, reaching up to 1600°F—the highest in the foodservice industry. This powerful radiant heat quickly sears food, locking in natural juices for consistently flavorful results. The innovative side-mounted jet design helps prevent clogging from grease or food particles, while the extreme heat effectively self-cleans the broiler—eliminating the need for messy grease trays. With the addition of EmberGlo's Flare-trol® system, operators can instantly control flare-ups with a simple switch, ensuring safe, reliable performance. EmberGlo open hearth broilers combine exceptional taste, efficiency, and ease of use in one superior grilling solution.

Specialized Features

- All Ceramic Broiling Hearth
- Flame control with our unique Patented FLARE-TROL® System
- NO MESSY GREASE trays
- Reaches temperature of 1600°
- Zero recovery time
- Self cleaning hearth
- 'Outdoor Flavor' - indoors
- Natural or Propane Gas
- Open, mid or closed front
- Clog Free, Side Mounted, Inshot 'Cobra' Gas Burner Heads

Flame controlling Flare-trol® System



FLARE-TROL® is the most effective means of flame control for open hearth broiling.

Open Hearth
Closed Front - Floor
Model 41F



Open Hearth
Open Front - Counter
Model 25C

Specifications - All Gas Broilers

Model Number	Cabinet Size	Grill Sq. In	Grill Size	Max Btu/Hr Input	Flare-trol Amperage	Number of Burners / Btu for Each Burner	Shipping Weight
25C	26"W X 18 1/4"D X 17 9/16"H	333	21 3/8"W X 15 5/8"D	120V, 60Hz, 1.5 amp	6,600 Btu/burner	6	190 lbs
25C Kabob *							250 lbs
25F	26"W X 18 1/4"D X 37 to 39"H	480	30 3/4"W X 15 5/8"D	120V, 60Hz, 1.5 amp	2 @ 6,600 4 @ 8,500 Btu/burner	47,200	240 lbs
25F Kabob *							305 lbs
25WC Kabob *	35 7/8"W X 18 1/4"D X 19 1/2"H	679	30 3/4"W X 21 3/8"D	120V, 60Hz, 1.5 amp	8,500 Btu/burner	68,000	310 lbs
25WF Kabob *	35 7/8"W X 18 1/4"D X 40"H						400 lbs
31C	35 7/8"W X 22 5/8"D X 19 9/16"H	458	21 3/8"W X 21 3/8"D	120V, 60Hz, 1.5 amp	7,550 Btu/burner	60,400	248 lbs
31C Kabob *							315 lbs
31F	35 7/8"W X 22 5/8"D X 41"H	904	30 3/4"W X 29 3/8"D	120V, 60Hz, 1.5 amp	8,500 Btu/burner	85,000	415 lbs
31F Kabob							490 lbs
31NC	26"W X 22 5/8"D X 19 9/16"H	458	21 3/8"W X 21 3/8"D	120V, 60Hz, 1.5 amp	7,550 Btu/burner	60,400	248 lbs
31NF	26"W X 22 5/8"D X 40"H						315 lbs
41C	35 7/8"W X 31 1/8"D X 19 9/16"H	904	30 3/4"W X 29 3/8"D	120V, 60Hz, 1.5 amp	8,500 Btu/burner	85,000	415 lbs
41F	35 7/8"W X 31 1/8"D X 41"H						490 lbs

- All floor and counter models are identical except for the addition of a floor stand on "F" models

- When ordering - Specify Open, Mid or Closed Front / Natural or Propane
- * Kabob broilers come with a set of skewers, the grill grate is optional



Open Hearth Kabob Broilers

Gas Char-Broilers with FLARETROL®

Shish Kabobs are 'IN'

Kabob Gas Char Broilers

"EmberGlo's Fire Breathing Legend" - Kabob Style

The EmberGlo Kabob Gas Char-Broiler is incredibly versatile in cooking almost anything that can be placed on a skewer. In a short period of time, a large variety of foods can be broiled effortlessly with that distinctive 'Outdoor Taste' !!

The grill top on this commercial grade Broiler is designed especially for broiling Shish Kabobs. The quality stainless steel skewers, included with the broiler, can accommodate large pieces of meat such as beef, chicken, lamb, pork, seafood or veggies. The EmberGlo Kabob Gas Char-Broilers have all the great benefits and features of the regular EmberGlo Gas Broilers, like the time and money saving feature of NO MESSY GREASE TRAYS to clean!



Kabob Broiler!
Open Hearth
Open Front - Counter
Model 25WC Kabob

Kabob Broiler!
Open Hearth
Mid Closed Front - Floor
Model 31F Kabob

Specialized Kabob Features


Kabob broilers all have the same great features of a regular EmberGlo broiler plus...

- Kabob Broilers Include
10 Stainless Steel Skewers
- All Stainless Steel Construction

Optional for Kabob Broilers:
Stainless Steel Cooking
Grill Grates



Kabob Broiler!
Open Hearth
Open Front - Floor
Model 25F Kabob



All Broiler Top
Measurements
Models 25, 25W,
31, 31N & 41

E24 Series Electric

Electric Char-Broilers




Electric Char Broilers

Electric Char Broilers feature raised cast iron ribs with recessed heating elements to evenly “char-brand” the meat’s surface with flame-free safety. EmberGlo has designed the grill to give you more useful square inches and broiling space than any other comparably sized electric broiler. Each 12” grate module has separate infinite temperature controls for maximum efficiency. Easy clean, stainless steel cabinets.

Char-Broiling the Electric way



Electric Char Broiler
Counter
Model E2436



Specialized Features

More useful broiling area than the competition

- Infinitely adjustable temperature zoned cooking
- Char broiling without burning
- Minimum heat radiation for kitchen climate comfort
- Recessed heating elements for flame free broiling
- Removable grease tray and splatter guards for easy dishwasher safe cleaning
- Floor model available in the E2436F only - stainless steel legs are standard; casters are optional
- 208V, 240V, 440V and 480V - Single and three phase
- Optional 10" Splatter Guard Kit for back and sides.

Specifications

Model # Number	Capacity	Outside Dimensions	Total KW Loading	Nominal Amperes Per Line *								Shipping Weight
				3 Phase* 240V			3 Phase* 208V			1 Phase 240V	1 Phase 208V	
				L1	L2	L3	L1	L2	L3			
E2412	Grill size 11½" x 19" (218" sq. in.), broils five 8 oz. strips or ten 4 oz. burgers per load	12"W x 24"D x 18½"H (max.)	3							12.5	14.5	97 lbs.
E2424	Grill size 23" x 19" (437"sq. in.), broils ten 8 oz. strips or twenty 4 oz. burgers per load; 2 controls	24"W x 24"D x 18½"H (max.)	6	12.5	21.7	12.5	14.5	25.0	14.5	25.0	28.8	150 lbs.
E2436	Grill size 34" x 19" (655"sq. in.), broils fifteen 8 oz. strips or thirty	36"W x 24"D x 18½"H (max.)	9	21.7	21.7	21.7	25.0	25.0	25.0	37.5	43.2	205 lbs.
E2436F	4 oz. burgers per load; 3 controls	36"W x 24"D x 41"H (max.)										305 lbs.

All units are shipped wired for single phase or 3-phase. Stainless top, front and sides are standard. To specify or order, indicate model number and voltage.

Optional extras: A 10" high Splash Guard is available is available for all models. See price sheet or accessory page for details.

* For voltage applications other than above call the factory.

‡ Cord and plug receptacle not included with electric broilers.



ES5 Series

Tap Water Steamers - Half Size Pan

Steamer - Standard Half Size Pan

Now you can have all the fresh, flavorful advantages of food steaming, plus the proven dependability and efficiency of EmberGlo engineering, without the restriction of supplying distilled or demineralized water.



- Self Contained Water Supply -

- **ES5 Series** - Electrical 120V, 1500 watts, 12.5 amps
 - ES5M** - Manual pump
 - ES5MT *** - Tortilla Manual pump
 - ES5PBS** - Manual push button
 - ES5PBST *** - Tortilla Manual push button
 - ES5CTS** - 30 Minute Automatic timer
- **ES5 1800 Series** - Electrical 120V, 1800 watts, 15 amps
Temperature recovery time decreased by 20%
 - ES5M18** - Manual pump
 - ES5PBS18** - Push Button
 - ES5CTS18** - 30 Minute Automatic timer

- Direct Water Hookup Supply -

- **ES5 Series** - Electrical 120V, 1500 watts, 12.5 amps
 - ES5PB** - Manual push button
 - ES5PBT *** - Tortilla Manual push button
 - ES5CT** - 30 Minute Automatic timer
- **ES5 1800 Series** - Electrical 120V, 1800 watts, 15 amps
Temperature recovery time decreased by 20%
 - ES5PB18** - Manual push button
 - ES5CT18** - 30 Minute Automatic timer

* Tortilla Models - includes a Tortilla steaming rack and a fully perforated food pan

Specialized Features

- Tap water Self contained
- Adjustable hinged top opening
- removable water pan or direct water hookup
- 4" deep, half size food pan
- No hood system needed



Specifications



Model Number	Type	Dimensions	Electrical	Electrical Connection	Shipping Weight
ES5PBS ES5PBST* ES5PBS18	Food steamer/cooker with self-contained water supply removable water drawer and push button operation	14" Width 18 ¾" Depth 12 ⅜"H(closed) 25 ⅜"H(open)	120V-60Hz, 1500 watts, 12.5 amps	3 wire cord	48 lbs.
ES5M ES5MT *	Food steamer/cooker with self-contained water supply removable water drawer and manual pump operation.		120V-60Hz, 1800 watts, 15 amps		
ES5M18			120V-60Hz, 1500 watts, 12.5 amps		
ES5CTS ES5CTS18	Food steamer/cooker with self-contained water supply, removable water drawer, 30 minute timer, single shot		120V-60Hz, 1800 watts, 15 amps		
ES5PB ES5PBT * ES5PB18	Food steamer/cooker with direct water hook-up, 6' hose with quick connect fittings and push button operation	14" Width 18 ¾" Depth 9 ⅛" H(closed) 22 ⅛"H(open)	120V-60Hz, 1500 watts, 12.5 amps		41 lbs.
ES5CT ES5CT18	Food steamer/cooker with direct water hook-up, 6' hose with quick connect fittings, 30 minute timer, single shot push button, ready light and buzzer		120V-60Hz, 1800 watts, 15 amps		
			120V-60Hz, 1500 watts, 12.5 amps		

* Tortilla models (ES5PBST, ES5MT and the ES5PBT) come with a special tortilla steaming rack instead of a flat rack.

- For Export Only: All Models are available for export with 220V-50Hz., 1500 watts, 6.8 amps

- All models contain 4" deep, half size food pan
- Export models shipped with cord less plug and U.S. agency approvals
- Fixed timed cooking cycle available, call factory for further information

ES10 Series

Tap Water Steamers - Full Size Pan®



Steamer - Standard Full Size Pan

Now you can have all the fresh, flavorful advantages of food steaming, plus the proven dependability and efficiency of EmberGlo engineering, without the restriction of supplying distilled or demineralized water.



ES10 Series
Direct Hook-up
Tap Water Supply
Model ES10PB



Steamer - Standard Full Size Pan

“The Bigger the Better”

Once again EmberGlo's innovative design gives you the ability to increase your volume and still maintain the ease of using a direct water supply, without the restrictions of distilled or demineralized water with twice the space as our ES5 Series. The open generator design means it is simple to clean, and easy to maintain.

Specialized Features

- Type: Adjustable hinged top opening
- Food Pan: 4" deep, full size
- Tap water operation - Direct water hookup
- Quick connect fittings
- No hood system needed
- Electrical 240V, 3200 watts, 13.3 amps, single phase or 208V, 2400 watts, 11.6 amps, single phase
- **ES10PB - Push button operation**



ES10PB

EmberGlo Steamers

lock in nutrients while
bringing out the freshness in food



Specifications

Model Number	Type	Dimensions	Electrical	Electrical Connection	Shipping Weight
ES10PB	Food steamer/cooker with direct hook-up water supply, 6' hose with quick connect fittings, single push button operation, and a full size 4" deep food pan	22½" Wide 20" Deep 29" High 9½" Closed	240V, single phase, 13.3 amps, 3200 watts; 208V, single phase, 11.6 amps, 2400 watts	NEMA 14-20R 240V receptacle (Provided)	73 lbs.



AR Series

Front Opening Steamers - 1/2 Size Pan and 2/3 Size Pan



AR Series - Demineralized
or distilled water supply
Model AR60



Depend on an EmberGlo
for quality design and
proven performance

Steamer - Front Open

This model offers a front drawer opening and self contained water supply, making it completely portable while allowing it to fit under most counter or shelves and increasing the work space. The closed generator is designed to increase productivity by cutting down cooking time.

Specialized Features

- Type: Front drawer opening / Stackable
- Distilled or Demineralized water operation
- Self contained removable water pan
- No hood system needed
- **AR Series** - 4" deep food pan

- AR30** - **Manual pump** - 4" deep half size food pan
Electrical 120V-60Hz, 1500 watts, 12.5 amps
or
240V-50Hz, 1500 watts, 6.3 amps, (Export)
- AR60** - **Manual pump** - 4" deep 2/3 size food pan
Electrical 120V-60Hz, 1500 watts, 12.5 amps,
single phase or
240V-50Hz, 1500 watts, 6.3amps, (Export)



Specifications

Model Number	Type	Dimensions	Electrical	Electrical Connection	Food Pan Depth	Shipping Weight
AR30	Front opening, 1/2 size pan, with self-contained water supply	12" Width 15 1/2" Depth 11 1/2" Height	120V-60Hz, 1500 watts, 12.5 amps	6', 3 wire cord	4" deep, half size	48 lbs.
			240V-50Hz, 1500 watts, 6.3 amps (Export only - no cord provided)	no cord provided		
AR60	Front opening, 2/3 size pan, with self-contained water supply	15" Width 15 1/2" Depth 11 1/2" Height	120V-60Hz, 1500 watts, 12.5 amps	6', 3 wire cord	4" deep, 2/3 size 2" deep optional	50 lbs.
			240V-50Hz, 1500 watts, 6.3 amps (Export only - no cord provided)	no cord provided		

SPECIAL NOTE: AR series steamers require the use of distilled or demineralized water.

Clogged or limed generators caused by use of non-treated water will not be covered under the terms of the warranty.

For Export Only: All models available 240V, 50Hz - shipped with cord less plug and U.S. agency approvals.



Accessories

for EmberGlo Broilers & Steamers

Accessories Steamers

Increase your efficiency with accessories made just for your broilers and steamers. Steam cut veggies, tacos or pita bread with our easy to use Steaming Baskets. Make steamer cleanup fast with a stainless steel brush.

	Quarter Pan Size Basket 5608-73 (2 pack Set) Half Pan Size Basket 5608-72 (1 pack)						
	3 in One Basket Set (1 Half and 2 Quarters) Basket Sets come with a Handle 5608-70						
	Tortilla Rack (Pita Rack) 5682-60						
	Egg Poacher <table border="0"> <tr> <td>4 Cup</td> <td>6 Cup</td> </tr> <tr> <td>2070610</td> <td>2070615</td> </tr> </table>	4 Cup	6 Cup	2070610	2070615		
4 Cup	6 Cup						
2070610	2070615						
	Brushes - Steamer and Broilers <table border="0"> <tr> <td>Gas Grate Brush</td> <td>1420-39</td> </tr> <tr> <td>Electric Grate Brush</td> <td>1420-36</td> </tr> <tr> <td>Steamer Brush</td> <td>8450-62</td> </tr> </table>	Gas Grate Brush	1420-39	Electric Grate Brush	1420-36	Steamer Brush	8450-62
Gas Grate Brush	1420-39						
Electric Grate Brush	1420-36						
Steamer Brush	8450-62						
	Broiler Accessories <table border="0"> <tr> <td colspan="2">Gas Broiler Front Work Shelf</td> </tr> <tr> <td>25 Open</td> <td>31/41 Open</td> </tr> <tr> <td>4646-56</td> <td>4822-00</td> </tr> </table>	Gas Broiler Front Work Shelf		25 Open	31/41 Open	4646-56	4822-00
Gas Broiler Front Work Shelf							
25 Open	31/41 Open						
4646-56	4822-00						
	Gas Broiler Drop Front Work Shelf 31/41 Closed 4822-11						
	Gas Broiler 2 Food Pan Openings Work Shelf 31/41 Open 4822-05						

Accessories Broilers

Make your work easier with accessories made just for your broilers. Our Seafood Veggie Grate is great for broiling fish but it is also handy for broiling smaller cuts of meats and veggies. Cleaning the cooking grill grate is fast with the sturdy steel brush specially designed for the shape of the grates.

Seafood Veggie Grate
FG1 - Model 25
FG2 - Model 31
FG3 - Model 41

Kabob Skewers
Set of 10 (Stainless Steel)
20½" - 4508-68 (for 25 Series)
24" - 4508-69 (for 31 Series)

Set of Caster
for Floor Model Broilers
2070100R

Kabob Conversion Kit
for Gas Broilers
4508-51 (25 Series)
4508-52 (31 & 41 Series)
4508-54 (31N Series)

10" Splatter Guard
for Electric Broiler
2070300 (E2412)
2070400 (E2424)
2070500 (E2436)

Stainless Steel Cooking Grill Grates

Model	Item #	Model	Item #
25 Series	4638-05	31 Series	4724-05
25W	4638-30	31N	4724-15
25W(Half)	4638-31	31 (Half)	4724-21

Gas Broiler Trough Work Shelf
31/41 Mid Front
4822-05

Gas Broiler Rt & Lf Sides Work Shelf
31 Closed Model Only
4822-07 Left Side
4822-08 Right Side



Quality Designed for Proven Performance

EmberGlo - A Division of Midco International - 4140 West Victoria Street - Chicago, Illinois 60646
toll free: 866 705 0515 - tel: 773.604.8700 - fax: 866.580.8700 - web: www.emberglo.com - e-mail: sales@emberglo.com



726
8474 54
Printed in USA